



Retail Pricing  
Pricing subject to change without notice.

### Telephone Interface Products - Telephone Couplers

Model	Description
9500-0240 Model Name #TCB-1	<p>TCB-1 Manual Telephone Coupler</p> <ul style="list-style-type: none"> <li>- Provides a switched hold connection to a telephone line so that the telephone set may be hung up during program feeds (no push-to-talk handsets or exclusion keys required)</li> <li>- Does not interfere with normal use of the associated telephone</li> <li>- Connections: RJ-11C Headset Jack (with loopthrough), 1x 1/4" TRS (In/Out)</li> <li>- Power: No batteries or AC required</li> <li>- Size: 4.6" W x 2.5" D x 1.5" H</li> <li>- Weight: 9 oz</li> <li>- FCC Registration: DXD6SN-13225-WP-N</li> </ul>

### Telephone Interface Products - Telephone Hybrids

Model	Description
9500-0600 Model Name #DH20	<p>DH20 Single Channel Digital Hybrid (1RU)</p> <ul style="list-style-type: none"> <li>- DSP digital technology ensures the very best audio quality and the deepest, most reliable hybrid null</li> <li>- Balanced audio in and out</li> <li>- Mic or line input</li> <li>- Selectable AGC ensures every caller is at the same audio level</li> <li>- Selectable caller ducking</li> </ul>
9500-0630 Model Name #DH22	<p>DH22 Dual Channel Digital Hybrid (1RU)</p> <ul style="list-style-type: none"> <li>- DSP digital technology ensures the very best audio quality and the deepest, most reliable hybrid null</li> <li>- Balanced audio in and out</li> <li>- Mic or line input</li> <li>- Selectable AGC ensures every caller is at the same audio level</li> <li>- Selectable caller ducking</li> </ul>
9500-0650 Model Name #DH30	<p>DH30 Single Channel Digital Hybrid with Echo Cancellation, AES/EBU (1RU)</p> <ul style="list-style-type: none"> <li>- Can interface with the latest digital and analog consoles</li> <li>- Created with an acoustic echo cancellation feature to ensure quality sound in studios that have open speakers and microphones</li> <li>- AES/EBU digital or analog audio input and output</li> <li>- Mic or line input</li> <li>- Selectable acoustic echo cancellation</li> <li>- Selectable AGC ensures every caller is at the same audio level</li> <li>- Selectable caller ducking</li> </ul>

### Telephone Interface Products - STAC VIP VoIP Phone System

Studio Telephone Access Center

Model	Description
9500-1200 Model Name #STAC6 VIP	<p>STAC 6-Line VIP VoIP Phone System</p> <ul style="list-style-type: none"> <li>- Handles VoIP as well as Legacy POTS/ISDN support</li> <li>- IP PBX to allow easy extension sharing and integration with SIP-based PBX systems</li> <li>- Supports Wideband "HD Voice"</li> <li>- A standard web browser can be used on any locally networked or Internet connected computer for call screening and control</li> <li>- Includes Mainframe and one control surface</li> </ul>

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
9500-1220\Model Name #STAC12 VIP	STAC 12-Line VIP VoIP Phone System <ul style="list-style-type: none"> <li>- Handles VoIP as well as Legacy POTS/ISDN support</li> <li>- IP PBX to allow easy extension sharing and integration with SIP-based PBX systems</li> <li>- Supports Wideband "HD Voice"</li> <li>- A standard web browser can be used on any locally networked or Internet connected computer for call screening and control</li> <li>- Includes Mainframe and one control surface</li> </ul>

### Telephone Interface Products - STAC VIP Accessories

Model	Description
9500-1235\Model Name #STAC VIP Split Studio License	STAC VIP Split Studio License <ul style="list-style-type: none"> <li>- License unlock code provides the ability to use STAC VIP in Split Studio mode</li> <li>- Firmware version 2.0 or higher required</li> <li>- Additional STAC6 VIP Control Surface required for full functionality</li> </ul>
9500-1400\Model Name #VH2	VH2 Dual line VoIP studio telephone interface
9500-4000	Opal, IP audio gateway providing quality audio from consumer&#8208;grade equipment, like a cellphone or a computer with a microphone.
9500-1415	Polycom VVX201 IP Phone, Comrex approved telephone handset for use with VH2. Includes PoE adapter.
9500-1205\Model Name #STAC6 Control Surface	STAC6 VIP Extra Control Surface <ul style="list-style-type: none"> <li>- Includes 6-line control surface and cables</li> </ul>
9500-1225\Model Name #STAC12 Control Surface	STAC12 VIP Extra Control Surface <ul style="list-style-type: none"> <li>- Includes 12-line control surface and cables</li> </ul>
9500-1230\Model Name #STAC6 to 12VIP Expansion Kit	STAC6 to 12 VIP Expansion Kit <ul style="list-style-type: none"> <li>- Includes control surface SideCar with metal attaching plate and activation key for lines 7- 12</li> <li>- *Please provide an email to send the activation license to and serial number of the STAC VIP mainframe</li> </ul>

### Telephone Interface Products - STAC POTS Phone System

#### Studio Telephone Access Center

Model	Description
9900-0010\Model Name #STAC6 POTS	STAC 6-Line POTS System <ul style="list-style-type: none"> <li>- Dual, high performance digital hybrids for reliable, natural sounding caller audio, even when conferencing</li> <li>- Flipping a switch on the back of a control surface is all that is required to select Studio/Producer or Screener Mode</li> <li>- A standard web browser can be used on any locally networked or Internet connected computer for call screening and control</li> <li>- Selectable automatic gain control for consistent levels on-air and send audio down the line to your callers</li> <li>- Talent maintains control using selectable caller ducking that lowers caller audio level when talent speaks</li> </ul>

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
9900-0020\Model Name #STAC12 POTS	<p>STAC 12-Line POTS System</p> <ul style="list-style-type: none"> <li>- Dual, high performance digital hybrids for reliable, natural sounding caller audio, even when conferencing</li> <li>- Flipping a switch on the back of a control surface is all that is required to select Studio/Producer or Screener Mode</li> <li>- A standard web browser can be used on any locally networked or Internet connected computer for call screening and control</li> <li>- Selectable automatic gain control for consistent levels on-air and send audio down the line to your callers</li> <li>- Talent maintains control using selectable caller ducking that lowers caller audio level when talent speaks</li> </ul>

### Telephone Interface Products - STAC POTS Accessories

Model	Description
9900-0015\Model Name #STAC6 Extra Control Surface	<p>STAC6 POTS Extra Control Surface</p> <ul style="list-style-type: none"> <li>- Includes control surface and cables</li> </ul>
9900-0025\Model Name #STAC12 Extra Control Surface	<p>STAC12 POTS Extra Control Surface</p> <ul style="list-style-type: none"> <li>- Includes standard control surface with SideCar and cables</li> </ul>
9900-0030\Model Name #STAC6 to 12 Expansion Kit	<p>POTS Expansion Kit</p> <ul style="list-style-type: none"> <li>- Easily add an additional 6 lines to your STAC6</li> </ul>
9500-0040\Model Name #STAC6 Breakout Kit	<p>Breakout Kit</p> <ul style="list-style-type: none"> <li>- Converts CAT5 RJ45 to 3x RJ11 connectors for 3 phone lines</li> </ul>

### Audio Codecs - Accessories

Model	Description
9501-0270	Opal Dual Rackmount Kit
9501-0260	VH2 Dual Rackmount Kit

### Other - Mix-Minus Bridge

Model	Description
9500-0410\Model Name #Mix-Minus Bridge	<p>Mix-Minus Bridge, Creates six separate mix-minus feeds</p> <ul style="list-style-type: none"> <li>- Takes one mix minus feed from the console and creates 6 feeds for remote or telephone use</li> <li>- Can be stacked for 12, 18 or more feeds</li> <li>- Separate level controls are provided for each input to the bridge</li> <li>- IFB (interruptible fold-back) allows cues to be sent to individuals or the whole group</li> <li>- IFB can be set for "ducking" or complete muting of the program audio</li> </ul>

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)